JAPAN P&I NEWS

No.860-16/12/02

To the Members

Dear Sirs,

US — Airborne Toxic Control Measure for Auxiliary Diesel Engines Operated on Ocean-Going Vessels At-Berth in a California Port ("At-Berth Regulation")

California Air Resources Board (CARB) has issued the 2017 Advisory with respect to requirements to be complied with from 1 January 2017 under the Airborne Toxic Control Measure for Auxiliary Diesel Engines Operated on Ocean-Going Vessels At-Berth in a California Port ("At-Berth Regulation").

Overview of the At-Berth Regulation

CARB approved the At-Berth Regulation in December 2007. The purpose of the At-Berth Regulation is to reduce emissions of diesel particulate matter (PM) and oxides of nitrogen (NOx) from auxiliary engines on vessels while at-berth at California ports¹. The At-Berth Regulation applies to fleets composed of container vessels, passenger vessels, or refrigerated cargo vessels. Fleets can comply through one of two options: the Reduced Onboard Power Generation Option or the Equivalent Emissions Reduction Option.

Requirements from 1 January 2017

From 1 January 2017 the following criteria have to be satisfied under the At-Berth Regulation:

- (i) Fleets complying under the Reduced Onboard Power Generation Option must satisfy the following two criteria from 1 January 2017:
 - Visits: At least 70 percent of a fleet's visits to a port must satisfy the following limit on engine operation: for each visit, the auxiliary engines on the vessel cannot operate for more than three hours during the entire time the vessel is at-berth (e.g., a shore power visit);

and

• Power Reductions: The fleet's total onboard auxiliary engine power generation must be reduced by at least 70 percent from the fleet's baseline power generation.

¹ The At-Berth Regulation defines a California Port as the Ports of Los Angeles, Long Beach, Oakland, San Diego, San Francisco and Hueneme.

(ii) Fleets complying under the Equivalent Emissions Reduction Option must reduce NOx and

PM by 70 percent or more through use of an CARB-approved technology.

Taking into account that fleets may not be able to satisfy certain provisions in the At-Berth

Regulation under certain circumstances, CARB will offer six possible scenarios as shown below,

which may apply on a case-by-case basis. Each scenario prescribes necessary documents to be

submitted to utilize the scenario, and fleet operators have the burden to provide proof and

documentation sufficient to qualify for the scenarios. If CARB is unable to verify a fleet's

claim to utilize one or more scenarios, the fleet's request to do so will be denied.

Scenario 1. The vessel visiting the port is equipped to receive shore power, but the terminal's

shore power berth is not able to provide shore power.

Scenario 2. A vessel makes a commissioning visit to a terminal, and during the visit, the

auxiliary engines operate longer than three hours.

Scenario 3. A vessel uses shore power, but fails to meet the three/five-hour time limit for

connecting or disconnecting shore power.

Scenario 4. Vessels are using an approved alternative control technology to comply with the

At-Berth Regulation.

Scenario 5. Fleet participates in testing an alternative control technology with an

CARB-approved test plan.

Scenario 6. A fleet meets the percent reduction requirements for visits, power, or emissions,

averaged on an annual basis.

For further details, please refer to the 2017 Advisory issued by CARB and the Final Regulation

Order, which are attached hereto.

Yours faithfully,

The Japan Ship Owners' Mutual Protection & Indemnity Association

Attachments: 2017 Advisory issued by CARB

Final Regulation Order

2

California Environmental Protection Agency Air Resources Board



2017 Advisory

To: Vessel Fleets and Terminal Operators Subject to ARB's **Ships At-Berth Regulation**

NOVEMBER 2016

AIRBORNE TOXIC CONTROL MEASURE FOR AUXILIARY DIESEL ENGINES OPERATED ON OCEAN-GOING VESSELS AT-BERTH IN A CALIFORNIA PORT

The purpose of this Advisory is to inform affected vessel fleets and terminal operators as to how Air Resources Board (ARB) staff will proceed with enforcement of the Airborne Toxic Control Measure for Auxiliary Diesel Engines Operated on Ocean-Going Vessels At-Berth in a California Port¹ (At-Berth Regulation or Regulation), beginning January 1, 2017.

The provisions in this Advisory will cover actions beginning January 1, 2017, and ending when ARB revokes this Advisory. ARB will evaluate eligibility for the flexibility provided in this Advisory on a case-by-case basis, as set forth below. As of January 1, 2017, this Advisory supersedes previous advisories (dated December 2013 and March 2015) regarding the At-Berth Regulation. Vessel fleet and terminal compliance plans for the 2017 calendar year may follow the guidance in this Advisory.

Regulatory Background

ARB's At-Berth Regulation is intended to reduce emissions of diesel particulate matter (PM) and oxides of nitrogen (NOx) from auxiliary engines on ocean-going vessels while at-berth at California ports. Fleets affected by the Regulation include those composed of container vessels, passenger vessels, or refrigerated cargo vessels. Fleets can comply through one of two paths: the Reduced Onboard Power Generation Option (that relies on use of shore-based electrical power), or the alternative Equivalent Emissions Reduction Option.

The Regulation requires fleets complying under the Reduced Onboard Power Generation Option to satisfy the following two criteria beginning on January 1, 2017:

- Visits: At least 70 percent of a fleet's visits to a port must satisfy the following limit on engine operation: for each visit, the auxiliary engines on the vessel cannot operate for more than three hours during the entire time the vessel is at-berth (e.g., a shore power visit); and
- Power Reductions: The fleet's total onboard auxiliary engine power generation must be reduced by at least 70 percent from the fleet's baseline power generation.

Fleets that comply under the Equivalent Emission Reduction Option pathway must reduce NOx and PM by 70percent or more through use of an ARB-approved technology².

On January 1, 2020, the requirements under the existing regulation increase to 80 percent for the visit, power reduction, and equivalent emission reduction requirements.

¹ Section 93118.3, title 17, chapter 1, subchapter 7.5, California Code of Regulations (CCR)

² ARB-approved technologies include shore power, or alternatives with an ARB Executive Order which states control efficiencies, as well as monitoring, reporting, recordkeeping requirements, and operating conditions. Executive Orders for alternative technologies can be found on ARB's website at: http://www.arb.ca.gov/ports/shorepower/eo/eo.htm

Fleet Options

ARB understands it may not be possible for regulated entities to satisfy certain provisions in the Regulation under certain circumstances. As a result, ARB will offer six possible scenarios, which may apply on a case-by-case basis, with the objective of providing flexibility to fleets that have equipped their vessels to use shore power or contracted to use an alternative control technology to comply with the At-Berth Regulation. Fleets are expected to make every effort to reduce emissions to meet the requirements of the At-Berth Regulation. ARB staff will review each fleet's efforts to meet the scenario conditions on a case-by-case basis. The burden is on the fleet operator to provide proof and documentation sufficient to qualify for the scenarios in this Advisory. Staff may request additional information to verify a fleet's claims. If staff is unable to verify a fleet's claim, the fleet's request to utilize one or more scenarios in this Advisory will be denied. As noted above, the provisions in this Advisory will cover actions beginning January 1, 2017, and ending when ARB revokes this Advisory.

Scenario 1. The vessel visiting the port is equipped to receive shore power, but the terminal's shore power berth is not able to provide shore power.

Scenario 1 applies to visits by shore power equipped vessels where, for reasons beyond the fleet operator's control, the terminal's shore power berth is not able to provide shore power and the terminal is actively working to restore shore power at the berth. For example, the shore side infrastructure is undergoing construction to upgrade shore power capability or shore side equipment has failed and is being repaired. In these cases, the visit may count toward the visit requirement as a shore power visit, and the hours the auxiliary engines operate during the visit may be excluded from the calculations for the percent power reduction or equivalent emission reduction requirements. Scenario 1 does not apply to visits where the vessel's shore power equipment is unable to reach a vault, a shore power berth is already occupied by another vessel, or there is a lack of availability of labor from the terminal or port. These issues are the responsibility of the vessel fleet, the terminal operator, and the port to resolve together to support full utilization of shore power equipment.

To utilize this scenario, for each visit that falls under this scenario, the fleet operator must provide ARB staff with the next annual report the following information about the visit: vessel name, Lloyds or IMO number, date and time of arrival, terminal, berth, and reason for berth unavailability. In addition, the fleets must provide the following information about the terminal: contact person at the terminal, detailed reason for berth unavailability including documentation provided from the terminal regarding the berth unavailability, and estimated date the shore power berth will return to service.

Terminals and ports that do not make shore power available may be subject to ARB enforcement action, as appropriate under the specific circumstances of each case.

Scenario 2. A vessel makes a commissioning visit to a terminal, and during the visit, the auxiliary engines operate longer than three hours.

Commissioning of the vessel is undertaken to ensure that the vessel is compatible with the shore side power hardware and that there are no safety issues for both the equipment and the personnel handling the connection. Scenario 2 applies to fleets with shore power equipped vessels that have yet to commission the shore power equipment at a terminal. The first commissioning visit made by a vessel to a terminal, regardless of the time necessary to connect or disconnect to shore power, will count towards the visit requirement of the Regulation as long as the vessel was able to successfully connect to shore power during that visit. The time required to commission will also be excluded from the power reduction or emission reduction requirements from the Regulation as long as the vessel was able to successfully connect to shore power during that visit. At the request of the fleet operator, ARB staff may count an additional commissioning visit as compliant, on a case-by-case basis, in circumstances where a fleet demonstrates that the commissioning process could not be accomplished in a single visit or the vessel needed to be recommissioned due to changes in the shore power infrastructure.

To utilize this scenario, a fleet operator must provide documentation to verify that the scheduled commissioning occurred, including vessel name, Lloyd's number, date and time the vessel commissioned, terminal and berth at which the vessel commissioned, and a copy of the commissioning test results.

Scenario 3. A vessel uses shore power, but fails to meet the three/five-hour time limit for connecting or disconnecting shore power.

Scenario 3 applies to fleets that have elected to comply with the Reduced Onboard Power Generation Option. Staff has been informed of many circumstances that could result in the auxiliary engines operating for more than the three/five hour time limits, including delays lowering the gangway, securing the vessel, waiting for clearance, or waiting for labor to connect the vessel. A vessel visit that successfully uses shore power during the visit but was not able to meet the three/five hour time limits may request relief under this scenario to count toward the visit requirement as a compliant visit.

To utilize this scenario, a fleet operator must provide a summary in the next annual report of their visit times including the total number of vessel visits, and shore power visits, and a summary of the auxiliary engine operating time for visits that exceeded the three/five-hour time limits. For each vessel visit where the engines operated for longer than the three/five hour time limits, the fleet must provide the vessel name, the date of the visit, and the reasons for operating engines longer than three hours.

Scenario 4. Vessels are using an approved alternative control technology to comply with the At-Berth Regulation.

Scenario 4 applies to fleets that are complying under the Reduced Onboard Power Generation Option that want to use an approved alternative control technology during a visit to reduce emissions. Use of an alternative control technology, with ARB-approved control efficiencies, during a visit allows the visit to count towards the fleet visit requirement. Furthermore, the approved reductions may count toward an equivalent power reduction requirement based on the ARB-approved control factors. Fleets may reduce the calculation of power provided by the auxiliary engine, as determined under subsection (e)(1)(B) of the Regulation, by determining the equivalent power reduction. To determine the equivalent power reduction, fleets may multiply the auxiliary engine emission rate for NOx and PM by the emission reductions for NOx and PM calculated from the equations in the alternative technology's Executive Order. If the equivalent power reduction for NOx and PM differ, fleets must use the lower equivalent power reduction.

To utilize this scenario, a fleet must provide the name of the approved alternative control technology, the number of vessel visits using the control technology, the total hours of operation by the fleet of the control technology, and any additional information required by the applicable technology's Executive Order.

Scenario 5. Fleet participates in testing an alternative control technology with an ARB-approved test plan.

In order to assist with testing new alternative control technologies, fleets that participate in testing of an alternative technology during a vessel's visit may claim an experimental exemption under the following conditions: (a) The alternative technology must have an ARB-approved test plan; (b) the testing must be specified in the approved test plan; and (c) the testing must be conducted in accordance with the approved test plan. The visit may count as compliant with the fleet's visit requirement, and the fleet may elect to exclude the power or emissions associated with the testing from the compliance calculations of power reduction or emission reduction in the Regulation. If the alternative control technology receives ARB approval, the fleet may elect to include the power or emissions associated with the testing in the compliance calculations of power reduction or emission reduction in the Regulation, based on the effectiveness documented in the ARB Executive Order.

To utilize this scenario, for each visit where experimental testing was conducted, a fleet must provide the name of the alternative control technology, the name of the vessels using the control technology, the type of test specified in the approved test plan, the date and time the testing was conducted, and the total hours of operation by the control technology during the visit. If the alternative control technology receives ARB approval, and the fleet elects to include the emissions associated with the testing in the compliance calculations of power reduction or emission reduction, then the fleet must also provide any additional information required by the technology's ARB Executive Order.

Scenario 6. A fleet meets the percent reduction requirements for visits, power, or emissions, averaged on an annual basis.

Scenario 6 applies to fleets that demonstrate they have met the percent reduction requirements for visits, power, or emissions, averaged on an annual basis, from January 1 to December 31. For each of the visit, power, and equivalent emission reduction requirements, an annual rather than quarterly compliance period provides fleets with flexibility to meet the required reductions over the year. Fleets that are unable to meet a quarterly requirement have the other three quarters of the year to adjust to meet the requirements. This flexibility is intended to provide fleets better ability to make up for any unforeseen issues in the year. Fleets should submit reports of annual compliance starting with the 2017 compliance report due on March 1, 2018.

Reporting Compliance Actions Taken Under this Advisory

To utilize any of the scenarios described in this Advisory, an affected vessel fleet operator must report, under penalty of perjury, specific information to ARB by emailing that information to ShorePower@arb.ca.gov. The attached "Annual Reporting Form" identifies the information that needs to be reported for fleets using any of the six scenarios, or a combination of those scenarios, in 2017 and beyond. The Annual Reporting Form for each scenario utilized must be submitted by March 1st of the following year, at the same time that the fleet submits its annual compliance statement. In addition, fleets must also provide the records required to be kept pursuant to the Regulation (Section 93118.3(g)(1)(B) or (g)(2)(B)). Failure to provide the required documentation for each scenario used will result in denial of the compliance relief. Again, the burden is on the fleet operator to provide proof and documentation in order to use the above listed scenarios, and ARB will review each scenario request on a case-by-case basis to determine whether to grant the requested scenario relief.

Proposition 1B Grants for Shore Side Infrastructure

ARB-approved use of Scenarios 2 and 3 is permitted to count toward the performance requirements and Scenarios 4 and 5 should be excluded from the performance requirements for grid-based shore power infrastructure projects funded by the Proposition 1B: Goods Movement Emission Reduction Program. For additional information, please refer to Supplemental Procedures for Ships at Berth and Cargo Handling Equipment Projects located at: www.arb.ca.gov/gmbond.

For Additional Information

Please visit http://www.arb.ca.gov/ports/shorepower.htm, contact ARB staff at ShorePower@arb.ca.gov, or call Ms. Lynsay Carmichael at (916) 327-5784.

FINAL REGULATION ORDER

AIRBORNE TOXIC CONTROL MEASURE FOR AUXILIARY DIESEL ENGINES OPERATED ON OCEAN-GOING VESSELS AT- BERTH IN A CALIFORNIA PORT

Adopt new section 93118.3, title 17, chapter 1, subchapter 7.5, California Code of Regulations (CCR), to read as follows:

(Note: The entire text of section 93118.3 is new language.)

Section 93118.3. Airborne Toxic Control Measure for Auxiliary Diesel Engines Operated on Ocean-Going Vessels At-Berth in a California Port.

(a) Purpose.

The purpose of this section is to reduce oxides of nitrogen (NOx) and diesel particulate matter (PM) emissions from the operation of auxiliary engines on container vessels, passenger vessels, and refrigerated cargo vessels while these vessels are docked at berth at a California port. This section reduces emissions by limiting the time during which auxiliary diesel engines are operated on the regulated vessels while such vessels are docked at-berth in a California port, as well as by applying other requirements. This section implements provisions of the Goods Movement Emission Reduction Plan, adopted by the Air Resources Board (ARB) in April 2006, to reduce emissions and health risk from ports and the movement of goods in California. This section also helps achieve the goals specified in the California Global Warming Solutions Act of 2006, established under California law by Assembly Bill 32 (Stats. 2006, ch. 488) and set forth in Health and Safety Code § 38500 et seq.

- (b) Applicability and General Exemptions.
 - (1) Except as provided in this subsection (b), this section applies to any person who owns, operates, charters, rents, or leases any U.S. or foreign-flagged container vessel, passenger vessel, or refrigerated cargo vessel that visits a California port. In addition, this section also applies to any person who owns or operates a port or terminal located at a port where container, passenger, or refrigerated cargo vessels visit.
 - (2) Nothing in this section shall be construed to amend, repeal, modify, or change in any way any applicable U.S. Coast Guard requirements. Any person subject to this section shall be responsible for ensuring compliance with both U.S. Coast Guard regulations and the requirements of this section, including but not limited to, obtaining any necessary approvals, exemptions, or orders from the U.S. Coast Guard.

- (3) The requirements of this section do not apply to:
 - (A) Ocean-going vessel voyages that consist of continuous and expeditious navigation through any of the Regulated California Waters for the purpose of traversing such bodies of water without entering California internal or estuarine waters or calling at a port, roadstead, or terminal facility. "Continuous and expeditious navigation" includes:
 - 1. Stopping and anchoring only to the extent such stopping and anchoring are required by the U.S. Coast Guard;
 - 2. Rendered necessary by force majeure or distress; or
 - 3. Made for the purpose of rendering assistance to persons, ships, or aircraft in danger or distress.

This exemption does not apply to the passage of an ocean-going vessel that engages in any of the prejudicial activities specified in United Nations Convention on the Law of the Seas (UNCLOS) 1982, Article 19, subpart 2. Further, notwithstanding any Coast Guard mandated stops or stops due to force majeure or the rendering of assistance, this exemption does not apply to a vessel that was otherwise scheduled or intended to enter California internal or estuarine waters or call at a port, roadstead or terminal facility.

- (B) Auxiliary engines on-board ocean-going vessels owned or operated by any branch of local, state, federal government, or by a foreign government, when such vessels are operated on government non-commercial service. However, such vessels are encouraged to act in a manner consistent, so far as is reasonable and practicable, with this section.
- (C) Steamships while berthed at a California port.
- (D) Auxiliary engines while such engines are operating primarily on liquefied natural gas or compressed natural gas.
- (E) Except as otherwise specified in subsection (d)(1)(I), fleets meeting the following criteria:
 - A fleet composed solely of container or refrigerated cargo vessels that visits the same California port fewer than 25 times total in a calendar year; and
 - 2. A fleet composed solely of passenger vessels that visits the same California port fewer than 5 times total in a calendar year.

(c) Definitions.

For purposes of this section, the definitions in Health and Safety Code sections 39010 through 39060 shall apply, except as otherwise specified in this section:

- (1) "Alternative Control Technologies" means technologies, techniques, or measures that reduce the emissions of NOx and PM from an auxiliary diesel engine other than shutting down the engine.
- (2) "Auxiliary Engine" means an engine on an ocean-going vessel designed primarily to provide power for uses other than propulsion, except that all diesel-electric engines shall be considered "auxiliary diesel engines" for purposes of this section.
- (3) "Baseline Fleet Emissions" means the total emissions from all vessels in a fleet during all berthing times in a calendar year or other specified time period. For purposes of calculating the baseline fleet emissions, the auxiliary engines on the vessels in the fleet shall be assumed to use marine gas oil or marine diesel oil while at berth.
- (4) "Baseline Fleet Power Generation" refers to the electrical power used by all vessels in the fleet while the vessels are docked at berths located at a California Port during a calendar quarter or other time period specified in the regulation.
- (5) "Berthing Time" means the time period that begins when the vessel is first tied to the berth and ends when the vessel is untied from the berth.
- (6) "California Ports" means:
 - (A) The Port of Hueneme, the Port of Los Angeles (POLA) and Port of Long Beach (POLB), the Port of Oakland, the Port of San Diego, and the Port of San Francisco; and
 - (B) For purposes of this section, POLA and POLB are treated as one port.
- (7) "Charter Agreement" means a lease or agreement to hire a vessel or other means of conveyance to transport goods or passengers to one or more designated locations.
- (8) "Container Vessel" means a self-propelled ocean-going vessel constructed or adapted primarily to carry uniform-sized ocean freight containers.
- (9) "Diesel Engine" means an internal combustion, compression-ignition (CI) engine with operating characteristics significantly similar to the theoretical diesel combustion cycle. The regulation of power by controlling fuel supply in lieu of a throttle is indicative of a compression ignition engine.

- (10) "Diesel-Electric Engine" means a diesel engine connected to a generator that is used as a source of electricity for propulsion or other uses.
- (11) "Diesel Particulate Matter" means the particles found in the exhaust of diesel engines, which may agglomerate and adsorb other species to form structures of complex physical and chemical properties.
- (12) "Distributed Generation" shall have the same meaning as that term is defined in title 17, CCR, section 94202.
- (13) "Docked at the Berth" means the state of being tied to a berth.
- (14) "Emergency Event" means the period of time during which any of the following events occurs; the emergency event begins when such an event begins and ends when the event is over:
 - (A) Any situation arising from a sudden and reasonably unforeseeable event beyond the control of the master that threatens the safety of the vessel: or
 - (B) The utility serving the port cannot provide electrical power to the port as a result of equipment failure, a transmission emergency, distribution emergency, a California Independent System Operator (CAISO) or Los Angeles Department of Water and Power (LADWP) Stage 3 emergency, or the utility needs to reduce power to the port because of a sudden and reasonably unforeseeable natural disaster, such as, but not limited to, an earthquake, flood, or fire; or
 - (C) When the utility providing electrical power to the port notifies the terminal operator(s) to reduce the use of grid-based electrical power in response to a transmission or distribution emergency, a CAISO or LADWP Stage 3 emergency, or to avoid a Stage 3 emergency if one is anticipated. The emergency event ends when CAISO or LADWP cancels the Stage 3 emergency or the utility notifies the terminal operator(s) that reduction in the use of grid-based electrical power is no longer necessary. The port may contact the terminal operator(s) on behalf of the utility if such an agreement exists between the utility and the port; or
 - (D) The electrical system at the terminal cannot provide electrical power as a result of equipment failure.
- (15) "Executive Officer" means the executive officer of the Air Resources Board (ARB), or his or her designee.

- (16) "Fleet" means all container, passenger, and refrigerated cargo vessels, visiting a specific California port, which are owned and operated by, or otherwise under the direct control, of the same person. Direct control includes, but is not limited to, vessels that carry cargo or passengers for the person pursuant to a charter agreement or other arrangement with a third-party for the third-party to operate the vessel. For purposes of this definition, "direct control" does not include the vessel master or any other member of the vessel crew, unless the crew member is also the owner of the vessel. For the purposes of this section, a person shall be deemed to have separate fleets for each California port visited and each fleet is composed of one type of vessel. For example, if a person owns or operates vessels that visit both the Port of Los Angeles and Port of Oakland, that person is deemed to have two fleets, one a "POLA-based fleet" and the other a "Port of Oakland-based fleet."
- (17) "Marine Diesel Oil" means any fuel that meets all the specifications for DMB grades as defined in Table I of International Standard ISO 8217, as revised in 2005, which is incorporated herein by reference.
- (18) "Marine Gas Oil" means any fuel that meets all the specifications for DMX or DMA grades as defined in Table I of International Standard ISO 8217, as revised in 2005, which is incorporated herein by reference.
- (19) "Master" means the person who operates an ocean-going vessel or is otherwise in charge of the vessel's operations.
- (20) "Ocean-Going Vessel" means a commercial, government, or military vessel meeting any one of the following criteria:
 - (A) A vessel greater than or equal to 400 feet in length overall (LOA) as defined in 50 Code of Federal Regulations (CFR) § 679.2, as adopted June 19, 1996;
 - (B) A vessel greater than or equal to 10,000 gross tons (GT ITC) pursuant to the convention measurement (international system) as defined in 46 CFR § 69.51-.61, as adopted September 12, 1989; or
 - (C) A vessel propelled by a marine compression ignition engine with a per-cylinder displacement of greater than or equal to 30 liters.
 - For the purposes of this section, "ocean-going vessel" will be used interchangeably with the term "vessel."
- (21) "Operate" means steering or otherwise running the vessel or its functions while the vessel is underway, moored, anchored, or at berth.

- (22) "Own" means having all the incidents of ownership, including the legal title, of a vessel whether or not that person lends, rents, or pledges the vessel; having or being entitled to the possession of a vessel as the purchaser under a conditional sale contract; or being the mortgagor of a vessel.
- (23) "Oxides of Nitrogen" (NOx) means compounds of nitric oxide (NO), nitrogen dioxide (NO₂), and other oxides of nitrogen, which are typically created during combustion processes and are major contributors to smog formation and acid deposition.
- (24) "Particulate Matter" means any airborne finely divided material, except uncombined water, which exists as a liquid or solid at standard conditions (e.g., dust, smoke, mist, fumes, or smog).
- (25) "Passenger Vessel" means a self-propelled vessel constructed or adapted primarily to carry people.
- (26) "Person" includes all of the following:
 - (A) Any person, agent, firm, association, organization, partnership, business trust, corporation, limited liability company, company, consortium, or any other commercial relationship;
 - (B) Any state or local governmental agency or public district, or any officer or employee thereof; and
 - (C) The United States or its agencies, to the extent authorized by federal law
- (27) "Post-Baseline Fleet Emissions" means the total emissions from all vessels in a fleet after the application of one or more control techniques, such as alternative control technologies, electrical power from the utility grid, and electrical power from sources that are not part of the utility's electrical grid (distributed generation), during all berthing times in a calendar year or other specified time period. For purposes of calculating the baseline fleet emissions, the auxiliary engines on the vessels in the fleet shall be assumed to use marine gas oil or marine diesel oil while at berth.
- (28) "Refrigerated Cargo Vessel" (commonly known as "reefer") means a selfpropelled vessel constructed or adapted primarily to carry refrigerated cargo. Refrigerated cargo vessels include vessels where the cargo may be stored in large refrigerated rooms within the vessel or vessels that carry refrigerated cargo containers exclusively.

- (29) "Regulated California Waters" means all of the following:
 - (A) all California internal waters;
 - (B) all California estuarine waters;
 - (C) all California ports, roadsteads, and terminal facilities (collectively "ports");
 - (D) all waters within 3 nautical miles of the California baseline, starting at the California-Oregon border and ending at the California-Mexico border at the Pacific Ocean, inclusive;
 - (E) all waters within 12 nautical miles of the California baseline, starting at the California-Oregon border and ending at the California-Mexico border at the Pacific Ocean, inclusive;
 - (F) all waters within 24 nautical miles of the California baseline, starting at the California-Oregon border to 34.43 degrees North, 121.12 degrees West; inclusive; and
 - (G) all waters within the area, not including any islands, between the California baseline and a line starting at 34.43 degrees North, 121.12 degrees West; thence to 33.50 degrees North, 118.58 degrees West; thence to 32.65 degrees North, 117.81 degrees West; and ending at the California-Mexico border at the Pacific Ocean, inclusive.
- (30) "Responsible Official" means the individual(s) with the authority to certify that all vessels in a fleet comply with applicable requirements of this regulation.
- (31) "Shore power" refers to electrical power being provided by either the local utility or by distributed generation.
- (32) "Steamship" means a self-propelled vessel in which the primary propulsion and electrical power are provided by steam boilers.
- (33) "Synchronous Power Transfer" means the synchronized switchover in vesselbased power to shore-based power without a loss in power during such transfer.
- (34) "Terminal" means a facility consisting of wharves, piers, docks and other berthing locations and adjacent storage, which are used primarily for loading and unloading of passengers, cargo or material from vessels or for the temporary storage of this cargo or material on-site.
- (35) "Terminal Operator" means a person who leases terminal property from a port for the purpose of loading and unloading of passengers, cargo or material from vessels or for the temporary storage of this cargo or material on-site.
- (36) "Utility" shall have the same meaning and be used interchangeably with the term "Electric Utility" as defined in Public Resources Code section 25108.

- (37) "Verified Emission Control Strategy" means an emission control strategy that has been verified pursuant to the "Verification Procedure for In-Use Strategies to Control Emissions from Diesel Engines" in title 13, California Code of Regulations, commencing with section 2700, which is incorporated herein by reference.
- (38) "Visit" means the time period that begins when an ocean-going vessel initially ties to a berth (the beginning of the visit) and ends when it casts off the lines (the end of the visit) at a berth in a California port. For the purposes of determining the number of visits by a fleet, separate and sequential visits shall collectively be deemed a single visit when a vessel ties to two or more berths at the same California port and the time interval between leaving one berth and tying to another berth in the same port is less than two hours.
- (d) Vessel In-Use Operational Requirements.
 - (1) Reduced Onboard Power Generation Option
 - (A) 2014 Requirements

Except as provided in subsection (d)(2), beginning January 1, 2014, the following shall apply to a fleet visiting a California port:

- At least 50 percent of the fleet's visits to the port shall meet the onboard auxiliary diesel engine operational time limits in subsection (d)(1)(D); and
- 2. The fleet's onboard auxiliary-diesel-engine power generation while docked at the berth shall be reduced by at least 50 percent from the fleet's baseline power generation.

(B) 2017 Requirements

Except as provided in subsection (d)(2), beginning January 1, 2017, the following shall apply to a fleet visiting a California port:

- At least 70 percent of the fleet's visits to the port shall meet the onboard auxiliary diesel engine operational time limits in subsection (d)(1)(D); and
- 2. The fleet's onboard auxiliary-diesel-engine power generation while docked at the berth shall be reduced by at least 70 percent from the fleet's baseline power generation.

(C) 2020 Requirements

Except as provided in subsection (d)(2), beginning January 1, 2020, the following shall apply to a fleet visiting a California port:

- At least 80 percent of a fleet's visits to the port shall meet the onboard auxiliary diesel engine operational time limits in subsection (d)(1)(D); and
- 2. The fleet's onboard auxiliary-diesel-engine power generation while docked at the berth shall be reduced by at least 80 percent from the fleet's baseline power generation.

(D) Limits on Hours of Operation

- Except as exempt in subsection (d)(1)(E), auxiliary diesel engines onboard vessels subject to subsection (d)(1)(A), (d)(1)(B), and (d)(1)(C) shall meet the following operational limits while at berth for the specified percentage of visits by the fleet:
 - a. Three hours total per visit to a berth, provided the visiting vessel uses a synchronous power transfer process to change from vessel-based power to shore-based power; or
 - b. Five hours total per visit to a berth, provided the visiting vessel does not use a synchronous power transfer process to change from vessel-based power to shore-based power.

For example, if a fleet is subject to subsection (d)(1)(A) and makes 10 visits to a California port in a calendar quarter, in at least 5 of those visits, the auxiliary diesel engines on the vessels shall be operated no more than a combined 3 or 5 hours total, depending on whether a synchronous power transfer is used. The 3- and 5-hour limit applies to the combined operating time for all auxiliary diesel engines used in a vessel visit, rather than on a per-engine basis.

(E) Exemptions to Limits on Hours of Operation

1. Emergency Event

All of the following requirements apply to claimed exemptions to limits on hours of operation based on emergency events:

a. If the master of the vessel reasonably and actually determines that an emergency event, as defined in subsection (c)(14), occurs during the vessel's visit to a California port, the master of the

vessel may operate the vessel's auxiliary engines during the emergency event:

- b. The master shall not operate the vessel's auxiliary engines for more than one hour beyond the time when the master receives notification that the emergency event is over or determines that the emergency event is over; and
- c. The provisions of paragraph (b) above notwithstanding, the master may continue to operate the auxiliary engines for no more than five hours if the master receives notification that the emergency event is over or determines that the emergency event is over, and the vessel is scheduled to leave port within five hours.
- 2. Delays Caused By the United States (U.S.) Coast Guard or Department of Homeland Security Inspections

The Executive Officer may extend the three-hour/five-hour operational requirement in subsection (d)(1)(D) if the following criteria are met:

- a. The initial inspection and clearance of the vessel by the Department of Homeland Security exceeds one hour. The time extension granted shall be commensurate with the excess time necessary for inspection and clearance; or
- b. After the auxiliary engines have been put back into service pending departure from the berth, the scheduled departure of the vessel has been delayed by U.S. Coast Guard or the Department of Homeland Security.
- (F) Adjustments for Visits Meeting Exemption Criteria

The following adjustments can be made to visits meeting the exemption criteria where the vessel is capable of using shore power:

- Visits exceeding the operational time limits in (d)(1)(D) that meet the exemption criteria in (d)(1)(E) shall be counted towards compliance with the minimum-visit requirements of (d)(1)(A), (d)(1)(B), and (d)(1)(C).
- 2. The onboard auxiliary diesel engine power generation associated with each visit meeting the exemption criteria in (d)(1)(E) above shall be excluded from the fleet's power reduction calculations pursuant to section (e)(1)(D).

(G) Compliance Periods

Compliance with the requirements in subsection (d)(1)(A), (d)(1)(B), and (d)(1)(C), shall be determined quarterly for the periods specified as follows:

- 1. January 1 through March 31, inclusive;
- 2. April 1 through June 30, inclusive;
- July 1 through September 30, inclusive; and
- 4. October 1 through December 31, inclusive.
- (H) No person shall sell, supply, offer to supply, or purchase electrical power for use on a vessel during a visit in lieu of using the on-board auxiliary diesel engines, unless such electrical power is either supplied by the local utility or is otherwise generated by equipment that meets the following emission standards:
 - NOx emissions no greater than 0.03 gram per kilowatt-hour (g/kW-hr);
 - 2. PM emissions equivalent to the combustion of natural gas with a fuel sulfur content of no more than one grain per 100 standard cubic foot;
 - 3. Carbon dioxide (CO₂) emissions shall be no greater than 500 g/kW-hr; and
 - 4. Ammonia emissions no greater than five parts per million on a dry volume basis (ppmdv), if selective catalytic reduction (SCR) is used.
- (I) Notwithstanding the requirements specified in subsection (d)(1)(A), (d)(1)(B), and (d)(1)(C), any ocean-going vessel equipped to receive shore power that visits a terminal with a berth equipped to provide compatible shore power shall utilize the shore power during every visit to that berth, unless the berth is already occupied with a vessel receiving shore power. This requirement shall not apply under the following circumstances:
 - The master of the vessel reasonably and actually determines that an emergency event, as defined in subsection (c)(14)(A), is in effect and the use of shore power during the emergency event would endanger the vessel's safety. Shore power shall be used for the remainder of the visit once the master determines that the emergency event no longer exists;

- 2. An emergency event, as defined in subsection (c)(14)(B),(c)(14)(C), or (c)(14)(D) is in effect. Shore power shall be used for the remainder of the visit once the emergency event is no longer in effect; or
- 3. The equipment on the vessel that allows the use of electricity from the terminal fails to function and the master of the vessel has made the necessary effort to repair the equipment as documented pursuant to subsection (g)(1)(B)1g.

(2) Equivalent Emissions Reduction Option

The purpose of this provision is to allow any person the option of complying with the requirements of this subsection (d)(2) in lieu of meeting the requirements of subsection (d)(1).

(A) Requirements

For fleets using one or more control techniques including electric power from the utility grid, electrical power from sources that are not part of an utility's electrical grid (distributed generation), or alternative control technologies to reduce the emissions of the fleet, the owner or operator of the fleet shall comply with the following schedule and compliance period:

- For each calendar year beginning on January 1, 2010 through December 31, 2011, inclusive, the NOx and PM emissions from the fleet's auxiliary engines when the vessels in the fleet are docked at the berth must be reduced by10 percent from the baseline fleet emissions.
- For each calendar year beginning on January 1, 2012, through December 31, 2013, inclusive, the NOx and PM emissions from the fleet's auxiliary engines when the vessels in the fleet are docked at the berth must be reduced by 25 percent from the baseline fleet emissions.
- 3. For the quarter beginning on January 1, 2014, and each subsequent quarter through December 31, 2016, inclusive, the NOx and PM emissions from the fleet's auxiliary engines when the vessels in the fleet are docked at the berth must be reduced by 50 percent from the baseline fleet emissions.
- 4. For the quarter beginning on January 1, 2017, and each subsequent quarter through December 31, 2019, inclusive, the NOx and PM emissions from the fleet's auxiliary engines when the vessels in the

fleet are docked at the berth must be reduced by 70 percent from the baseline fleet emissions.

- 5. For the quarter beginning on January 1, 2020, and each subsequent quarter thereafter, the NOx and PM emissions from the fleet's auxiliary engines when the vessels in the fleet are docked at the berth must be reduced by 80 percent from the baseline fleet emissions.
- (B) Vessels Using Grid-Based Shore Power as a Control Technique

If a vessel is equipped to receive shore power provided by the utility grid but is unable to do so while at berth due to an emergency event, the onboard diesel auxiliary engine emissions from such visits shall be excluded from the fleet's emissions reduction calculations pursuant to (e)(2)(C).

(C) Applying Early or Excess Emissions Reduction to the 2010, 2012, or 2017 Emission Requirements

Early or excess emissions reduction that are approved by the Executive Officer pursuant to section (e)(2)(D) can be used towards compliance with requirements in (d)(2)(A)1, (d)(2)(A)2, or (d)(2)(A)4 as follows:

- 1. Reductions achieved before January 1, 2010 can be used towards complying with requirements in (d)(2)(A)1, (d)(2)(A)2, or (d)(2)(A)4.
- Reductions achieved between January 1, 2010 and December 31, 2011, which exceed the amount required by (d)(2)(A)1, can be used towards complying with requirements in (d)(2)(A)2 and (d)(2)(A)4.
- Reductions achieved between January 1, 2012 and December 31, 2013, which exceed the amount required by (d)(2)(A)2, can be used towards complying with (d)(2)(A)4.
- 4. Early or excess emission reductions cannot be used towards complying with the requirements in (d)(2)(A)3 or (d)(2)(A)5.
- (D) Compliance with the requirements of subsection (d)(2)(A)3, (d)(2)(A)4, and (d)(2)(A)5 shall be determined quarterly for the periods specified as follows:
 - 1. January 1 through March 31, inclusive;
 - 2. April 1 through June 30, inclusive;

- 3. July 1 through September 30, inclusive; and
- 4. October 1 through December 31, inclusive.
- (E) No person shall sell, supply, offer to supply, or purchase electrical power for use on a vessel during a visit in lieu of using the on-board auxiliary diesel engines, unless such electrical power is either supplied by the local utility or is otherwise generated by equipment that meet the following emission standards:

1. NOx Emissions;

- a. Up to and including December 31, 2013, the NOx emissions shall be no greater than 2 g/kW-hr at any time; and
- b. Beginning January 1, 2014, the NOx emissions shall be no greater than 0.2 g/kW-hr at any time.
- 2. PM emissions shall be no greater than the PM emissions from combustion of natural gas with a fuel sulfur content of no more than one grain per 100 standard cubic foot;
- 3. CO₂ emissions shall be no greater than 500 g/kW-hr; and
- 4. Ammonia emissions shall be no greater than five ppmdv if selective catalytic reduction is used.
- (F) Alternative control technologies using SCR to comply with subsection (d)(2)(A) shall have ammonia emissions no greater than five ppmdv.
- (3) Limitations on Changing Compliance Options

Prior to January 1, 2014, fleets cannot change compliance options from (d)(1), the reduced onboard power generation option, to (d)(2), the equivalent emission reduction option, unless all of the following have been satisfied:

- (A) Adequate emission reductions were achieved by the fleet prior to switching compliance options such that the requirements of (d)(2)(A)1 or (d)(2)(A)2, whichever is applicable, are satisfied;
- (B) The Responsible Official of the fleet has submitted to the Executive Officer an application for the compliance option change that contains the following information:

- A demonstration that the requirements of (d)(2)(A)1 or (d)(2)(A)2, whichever is applicable, are satisfied at the time of the application; and
- 2. An updated vessel plan demonstrating compliance with (d)(2).
- (C) The Executive Officer determines that the information in the application satisfies (d)(3)(A) and that the fleet will comply with all applicable requirements of (d)(2).
- (e) Calculations for Reduced Onboard Power Generation Option in Subsection (d)(1) and Equivalent Emissions Reduction Option in Subsection (d)(2).
 - (1) Reduced Onboard Power Generation

For the purposes of subsection (d)(1), the percent reduction of onboard electrical generation from auxiliary diesel engines while vessels are docked at berth shall be calculated as follows:

Percent Reduction = [Baseline fleet power generation (BFPG) – Power provided by fleet's auxiliary engines] / (BFPG)

Where the baseline fleet power generation and the power provided by the fleet's auxiliary engines are calculated as follows:

(A) Baseline Fleet Power Generation (BFPG)

The baseline power generation for the fleet shall be calculated using the following formula:

Baseline Fleet Power Generation = \sum (berthing time x power requirement)

Where:

"Berthing time" is the actual berthing time for each visit falling within the applicable period specified in subsection (d)(1)(G);

"Power requirements" means the electrical power requirement for the vessel making each visit as determined pursuant to subsection (e)(1)(C); and

" \sum " means the summation of all visits made by the fleet in the applicable period specified in subsection (d)(1)(G).

(B) Power provided by fleet's auxiliary engines

The power provided by the fleet's auxiliary engines is calculated as follows:

Power provided by the $= \sum$ (Auxiliary engine operating time x fleet's auxiliary engines power requirement)

Where:

"Auxiliary engine operating time" is the actual time period these engines operated for each visit falling within the applicable period specified in subsection (d)(1)(G). Three hours for vessels using synchronous power transfer to grid-based shore power or five hours for vessels not using synchronous power transfer to grid-based shore power can be substituted for the actual operating times of the engines;

"Power requirements" means the electrical power requirement for the vessel making each visit as determined pursuant to subsection (e)(1)(C); and

" \sum " means the summation of all visits made by the fleet in the applicable period specified in subsection (d)(1)(G).

(C) Power Requirements

1. The following values in Table 1 may be used as default values for power requirements:

Table 1.

Vessel Category	Size / Type	Default Power Requirement (kW)
Container Vessel	<1000 TEU	1,000
	1,000-1,999 TEU	1,300
	2,000-2,999 TEU	1,600
	3,000-3,999 TEU	1,900
	4,000-4,999 TEU	2,200
	5,000-5,999 TEU	2,300
	6,000-6,999 TEU	2,500
	7,000-7,999 TEU	2,900
	8,000-9,999 TEU	3,300
	10,000-12,000 TEU	3,700
Passenger Vessel		No Default Value
		Use Actual Load
Refrigerated Cargo Vessel	Break Bulk	1,300
	Fully Containerized	3,300

TEU = twenty-foot equivalent unit.

kW = kilowatt

- 2. In lieu of the default values above, the fleet operator may, with adequate supporting documentation, use the actual power usage, on a monthly basis, rounded to the nearest whole kW-hrs.
- (D) The onboard auxiliary diesel engine power generation associated with each visit that meets the exemption criteria in (d)(1)(E) shall be excluded from the calculation for the fleet's baseline power generation and the calculation for the power provided by the fleet's auxiliary engines.
- (2) Equivalent Emissions Reduction Option

For the purposes of subsection (d)(2)(A) the percent emission reduction shall be calculated as follows:

Percent Reduction = (BFE - PBFE - FEC) / BFE

Where, the baseline fleet emissions, post-baseline fleet emissions, and fleet emission credits are calculated as follows:

(A) Baseline Fleet Emissions (BFE)

The baseline fleet emissions of NOx and PM shall be calculated using the following formula:

Baseline Fleet Emissions = \sum (emission rate x average berthing time x power requirement x visits)

Where:

"Emission rate" for each auxiliary engine is determined pursuant to subsection (e)(3);

"Average berthing time" for each vessel is determined for the applicable period specified in (d)(2)(D);

"Power requirements" means the electrical power requirement for each vessel as determined pursuant to subsection (e)(1)(C);

"Visits" means the total number of visits by the vessel during the applicable period specified in the appropriate subsection in (d)(2)(A) or subsection (d)(2)(D); and

"∑" means the summation over the entire fleet subject to the emission reduction option.

(B) Post-Baseline Fleet Emissions (PBFE)

The post-baseline fleet emissions of NOx and PM shall be calculated using the following formula:

Post-Baseline Fleet Emissions = ∑ (emission rate x average berthing time x power requirement x visits x control factor)

Where:

"Emission rate" for each auxiliary engine is determined pursuant to subsection (e)(3);

"Average berthing time" for each vessel is determined for the applicable period specified in the appropriate subsection in (d)(2)(A) or subsection (d)(2)(D);

"Power requirements" means the electrical power requirement for each vessel as determined pursuant to subsection (e)(1)(C);

"Visits" means the total number of visits by the vessel during the applicable period specified in the appropriate subsection in (d)(2)(A) or subsection (d)(2)(D);

"Control factor" means the applicable control factor specified in subsection (e)(4); and

"∑" means the summation over the entire fleet subject to the emission reduction option.

(C) Adjustments to Baseline Fleet Emissions and Post-Baseline Fleet Emissions Calculations for Vessels Choosing to Use Grid-Based Shore Power

Emissions from a vessel capable of using shore power during a visit that can be classified as an emergency event shall be excluded from paragraphs (A) and (B) above.

(D) Fleet Emission Credits (FEC)

Fleets that achieve reductions of NOx and PM emissions earlier than January 1, 2010, or in excess of the requirements of (d)(2)(A)1 or (d)(2)(A)2 may apply for fleet emission credits (FEC) that can be used toward compliance with the requirements in (d)(2)(A)1, (d)(2)(A)2, or (d)(2)(A)4. FECs can only be used by a fleet achieving the early or excess emission reductions, can be used only at the port where the early or excess emission reductions occurred, cannot be used in any other program administered by the Air Resources Board or local air district, and expire on March 1, 2018.

- 1. Eligible emission reductions are as follows:
 - a. Emission reductions achieved prior to January 1, 2010.
 - b. Emission reductions achieved between January 1, 2010, to December 31, 2011, beyond the amount required by (d)(2)(A)1.
 - c. Emission reductions achieved between January 1, 2012, to December 31, 2013, beyond the amount required by (d)(2)(A)2.
- 2. Ineligible emission reductions

Emission reductions which are a result of a project that has received incentive funds through a contract or other binding agreement from the Air Resources Board or a local air district are not eligible emission reductions.

3. Applying for fleet emission credits

Applications for fleet emission credits must demonstrate that the emission reductions are quantifiable and occurred earlier than January 1, 2010, or were in excess of the requirements of (d)(2)(A)1 or (d)(2)(A)2. The information shall be submitted on forms specified by the Executive Officer according to the following schedule:

- Application for fleet emission credits for reductions achieved prior to January 1, 2010, shall be submitted to the Executive Officer by March 1, 2010.
- b. Application for fleet emission credits for excess reductions beyond those required for (d)(2)(A)1 shall be submitted to the Executive Officer as part of the fleet's March 1, 2012 annual statement of compliance required pursuant to subsection (g)(2)(A)3.
- c. Application for fleet emission credits for excess reductions beyond those required for (d)(2)(A)2 shall be submitted to the Executive Officer as part of the fleet's March 1, 2014 annual statement of compliance required pursuant to subsection (g)(2)(A)3.

4. Approval of fleet emission credits

- a. Within 30 calendar days of receipt of an application, the Executive Officer shall inform the Applicant in writing if the application is complete or deficient. If deemed deficient, the Executive Officer shall identify the specific information required to make the application complete.
- b. Within 60 calendar days of the application being deemed complete, the Executive Officer shall approve or deny the fleet emission credit.
- c. An applicant dissatisfied with the decision of the Executive Officer regarding the approval or denial of the fleet emission credit may appeal the decision within 30 calendar days in accordance with the Administrative Hearing Procedure for Petitions for Review of Executive Officer Decisions, Title 17 California Code of Regulations, commencing with section 60055.1.
- d. Upon approval of the fleet emission credit, the Executive Officer shall issue a Certificate to the applicant. The Certificate shall identify the recipient of the certificate, the quantity of the fleet emission credit of each pollutant in tons per year, the port at which the reduction was created, and any other data deemed appropriate by the Executive Officer.

5. Using fleet emission credits

- a. Fleet emission credits may be applied to the percent emission reduction calculations used by the fleet to demonstrate compliance with the requirements in (d)(2)(A)1, (d)(2)(A)2, and (d)(2)(A)4. The fleet shall surrender the FEC Certificate(s) as part of the applicable annual compliance statement. If the entire FEC is used, the Executive Officer shall retain the Certificate. If only part of the FEC is used, the Executive Officer shall retain the old Certificate and issue a new Certificate identifying the remaining portion of the FEC.
- b. The Executive Officer shall monitor the accumulation and use of the fleet emission credits.
- c. Fleet emission credits cannot be used to comply with requirements in (d)(2)(A)3 or (d)(2)(A)5.
- d. Fleets that switch compliance options from (d)(1), the reduced onboard power generation option, to (d)(2), the equivalent emission reduction option, cannot accumulate or use fleet emission credits.
- (3) A person complying with the requirements of subsection (d)(2) may choose any of the following emissions rates for use in the calculations specified in subsection (e)(2)(A) and (e)(2)(B):
 - (A) Results from emission measurements for similar auxiliary diesel engines that are used to satisfy a marine engine standard, including U.S. Environmental Protection Agency (EPA) emission standards for marine engines (40 CFR Part 94), and the International Convention for the Prevention of Pollution from Ships, 1973, as modified by the Protocol of 1978 (MARPOL 73/78), both of which are incorporated herein by reference:
 - (B) Emission measurements approved by the Executive Officer and using the test methods specified in subsection (e)(4)(B)(3); or
 - (C) In lieu of test data measured pursuant to paragraph (A) or (B) above, the following emission rates may be used as default values:
 - 1. 13.9 g/kW-hr for NOx.
 - 2. 0.38 g/kW-hr for PM if 0.11 to 0.5 percent sulfur marine gas oil or marine diesel oil is used as a fuel.

3. 0.25 g/kW-hr for PM if 0.10 or less sulfur content marine gas oil or marine diesel oil is used as a fuel.

(4) Control Factors

- (A) The emissions from vessels using grid power in lieu of the vessel's auxiliary engines when the vessels are at berth are presumed to be reduced by 90 percent.
- (B) No control efficiencies for alternative control technologies shall be used to comply with the requirements of this provision unless the control efficiencies are calculated or measured as follows:
 - The control efficiencies shall be based on an emission test protocol that is approved by the Executive Officer prior to conducting the emission measurements;
 - 2. The results of the emission measurements conducted pursuant to paragraph 1 above are approved by the Executive Officer; and
 - 3. Emission measurements are conducted using the following test methods. Alternative tests methods may be used upon written approval from the Executive Officer:
 - a. NOx and CO₂ shall be measured using California Air Resources Board (CARB) Test Method 100, dated July 1997, which is incorporated herein by reference, or equivalent district-approved test method:
 - b. Diesel PM shall be measured using ISO 8178 Test Procedures: ISO 8178-1: 1996(E) ("ISO 8178 Part 1"); ISO 8178-2:1996(E) ("ISO 8178 Part 2"); and ISO 8178-4: 1996(E) ("ISO 8178 Part 4"), all of which are incorporated herein by reference;
 - c. Ammonia slip shall be measured using the Bay Area Air Quality Management District Source Test Procedure ST-1B, Ammonia Integrated Sampling, dated January 1982, which is incorporated herein by reference, or other equivalent district approved test method; and
 - d. The sulfur content of fuels shall be determined pursuant to International Standard ISO 8754 (as adopted in 2003), which is incorporated herein by reference.
- (C) Results from emission measurements from a verified emission control strategy may be used in conjunction with engine emission information.

- (D) The Executive Officer may request periodic emission testing or other types of monitoring to verify the proper operation of alternative control technologies or distributed generation equipment, or to verify the emission rate of an auxiliary engine.
 - At a minimum, emission control technologies shall be tested as follows and the results of such testing provided to the Executive Officer within 30 days of the testing:
 - a. Shore-based systems shall be tested annually to demonstrate the overall percentage of emission reduction being achieved.
 - Catalyst based air pollution control systems installed on vessels shall be tested after every 1,000 hours of operation to determine the overall percentage of emission reduction being achieved.
 - c. If SCR is used as a control technology, the emissions of ammonia shall also be measured at the same time the NOx emissions are being measured.
 - 2. The Executive Officer may modify the testing frequency as he/she deems appropriate.
- (f) Terminal Plan Requirements.
 - (1) The operator of a terminal that receives more than 50 vessel visits in 2008 shall submit for the Executive Officer's approval, a plan, and subsequent updates, that discusses how the terminal will accommodate the vessels that will visit the terminal and are subject to subsection (d)(1) and (d)(2). The initial plan shall address requirements in subsection (d)(1) and (d)(2) through 2020. The plan updates shall address any contingencies that may be necessary for the vessels to meet the requirements of subsection (d)(1) and (d)(2) by the applicable dates.
 - (A) Schedule for Plan Submittals

The terminal operator shall submit the initial plan and subsequent updates to the plan according to the schedule below (Table 2).

Table 2.

Vessel Compliance Option	Initial Terminal Plan Due Date	Subsequent Terminal Plan Updates
Reduced Onboard Power Generation Option: (d)(1)	July 1, 2009	July 1, 2013 July 1, 2016 July 1, 2019
Equivalent Emissions Reduction Option: (d)(2)	July 1, 2009	July 1, 2011 July 1, 2013 July 1, 2016 July 1, 2019

(B) Approval of Plans

- a. Within 30 calendar days of receipt of a plan, the Executive Officer shall inform the terminal operator in writing if the plan is complete or deficient. If deemed deficient, the Executive Officer shall identify the specific information required to make the plan complete.
- b. Within 60 calendar days of the plan being deemed complete, the Executive Officer shall approve or disapprove the plan based on a determination of it meeting the requirements of (f)(2) or (f)(3), whichever is applicable.
- (2) Plan Requirements for Reduced Onboard Power Generation Option

The plan shall include discussion of necessary infrastructure modifications needed for affected fleets to satisfy the requirements of subsection (d)(1) by the 2014, 2017, and 2020 compliance dates. The plan shall also include the schedule for implementing the modifications. The discussion shall include the following:

- (A) Discussion of ship activity and projected power demands at the terminal:
 - 1. Number of ships and visits to the terminal;
 - 2. The projected amount of electric power needed from the utility grid on an annual basis and the maximum power capacity;
- (B) Discussion of available power at the terminal;
- (C) Discussion of major infrastructure improvements to terminal that would be needed to provide projected power loads at the berth, including identification of existing berths to be modified or new berths to be constructed;

- (D) Discussion of improvements to port infrastructure that would be needed to provide projected power loads;
- (E) Discussion of utility infrastructure improvements, if any, outside the port boundary that would be needed to provide projected power loads; and
- (F) A schedule for each activity needed to implement (C), (D), and (E) above.
- (3) Plan Requirements for Equivalent Emissions Reduction Option
 - (A) The plan shall include a description of the control techniques that will be used to reduce in-berth vessel emissions needed for affected fleets to satisfy requirements of subsection (d)(2) by the 2010, 2012, 2014, 2017, and 2020 compliance dates. These techniques would include electric power from the utility grid (grid-based shore power), electrical power from sources that are not part of a utility's electrical grid (distributed generation), and alternative control technologies;
 - (B) For berths where grid-based shore power will be implemented, the plan shall contain the information specified in subsection (f)(2);
 - (C) For berths where distributed generation will be implemented, the plan shall contain the following information:
 - Identification and description of distributed generation equipment, including estimated electrical output and fuel input;
 - 2. Berth(s) where the equipment will be used;
 - 3. Number of ships and corresponding visits to the berth(s);
 - Projected amount of electric power that will be needed at the berth(s) from the distributed generation equipment, calculated on an annual and maximum capacity basis;
 - 5. Schedule for deploying distributed generation equipment; and
 - 6. The estimated reductions in NOx and PM emissions from vessels using the distributed generation equipment, including documentation supporting the anticipated reductions.
 - (D) For berths where alternative controls will be implemented, the plan shall contain the following information;

- 1. Identification and description of equipment, including whether it will be located on the ship or on the shore;
- Number of ships and corresponding visits using ship-side equipment;
- 3. Number of ships and corresponding visits using shore-side equipment;
- 4. Berth(s) where shore-side equipment will be used;
- 5. Schedule for implementing equipment; and
- Estimated reductions in NOx and PM emissions from vessels using the ship-side and shore-side equipment, including documentation supporting the anticipated reductions.
- (4) A port may submit terminal plans required under subsection (f)(1) on behalf of the terminals located at that port.
- (g) Reporting and Recordkeeping Requirements.
 - (1) Reporting and Recordkeeping Requirements for Persons that Comply with Subsection (d)(1)
 - (A) The Responsible Official shall provide the following reports to the Executive Officer:
 - 1. A vessel fleet plan for each California port visited by a fleet, where the fleet is not exempt pursuant to section (b)(3)(E).
 - a. The plan is due to the Executive Officer by July 1, 2013, and an updated plan is due by July 1, 2016, and July 1, 2019.
 - b. The plan must address the vessels in the fleet that visit the port and would be affected by the requirements specified in subsection (d)(1). The following information shall be included in the vessel fleet plan and subsequent updates:
 - Fleet information, including: vessel category for the fleet (container, passenger, or refrigerated cargo), name of the port visited by the fleet, name of terminals visited, number of ships visiting the port annually, and total number of ship visits to the port annually.

- ii. Information on the vessels in the fleet that will have their emissions reduced to satisfy the requirements of subsection (d)(1).
 - I. Vessel plans that are due July 1, 2013, shall include the following vessel information:
 - Name and Lloyd's number of each vessel capable of using shore power by January 1, 2014, maximum power requirement of the vessel while at berth, and total number of annual visits to the port;
 - 2. The number of vessels that will have the capabilities for using shore power by January 1, 2017, the maximum amount of power expected to be used by these vessels while at berth, and the total number of annual visits expected to be made by these ships to the port; and
 - The number of vessels that will have the capabilities for using shore power by January 1, 2020, the maximum amount of power expected to be used by these vessels while at berth, and the total number of annual visits expected to be made by these ships to the port.
 - II. Vessel plan updates that are due July 1, 2016, shall have the following vessel information:
 - Name and Lloyd's number of each vessel capable of using shore power by January 1, 2017, maximum power requirement of the vessel while at berth, and total number of annual visits to the port; and
 - The number of vessels that will have the capabilities for using shore power by January 1, 2020, the maximum amount of power expected to be used by these vessels while at berth, and the total number of annual visits expected to be made by these ships to the port.
 - III. Vessel plan updates that are due July 1, 2019, shall include the following vessel information:
 - Name and Lloyd's number of each vessel capable of using shore power by January 1, 2020, maximum power

requirement of the vessel while at berth, and total number of annual visits to the port.

- 2. An annual statement of compliance pursuant to subsection (d)(1).
 - a. The initial annual statement of compliance is due to the Executive Officer by March 1, 2015. This statement is for the 2014 calendar year. Thereafter, the annual statement is due to the Executive Officer by March 1 of each year, certifying compliance with the requirements for the previous calendar year.
 - b. The following information shall be included with the statement of compliance:
 - A statement signed by the Responsible Official that the requirements specified in subsection (d)(1) have been met for each California port visited by a fleet, where the fleet is not exempt pursuant to section (b)(3)(E).
 - ii. Information on visits and power requirements while at berth for all vessels within the fleet that visited the California port including:
 - I. Current name of the vessel;
 - II. Lloyd's number for the vessel;
 - III. Vessel type (container, passenger, refrigerated cargo);
 - IV. TEU capacity (container vessels only);
 - V. Total visits, by terminal;
 - VI. Number of visits where the vessel satisfied the requirements of (d)(1)(D);
 - VII. Number of visits where the visit for the vessel would fall within the exemptions identified in (d)(1)(E);
 - VIII. Average berthing time at the port; and
 - IX. Average power requirement for the vessel while at berth, in MW-hr.
 - iii. The information submitted pursuant to paragraph ii. above shall be reported for the following periods:
 - I. January 1 through March 31, inclusive;
 - II. April 1 through June 30, inclusive;
 - III. July 1 through September 30, inclusive; and
 - IV. October 1 through December 31, inclusive.

(B) Recordkeeping

- 1. The following records shall be kept at a central location by the vessel operator. A logbook that records, for each visit, the dates, times, and other information as specified below:
 - a. Name of the vessel, the port and terminal visited;
 - b. Power requirement while at berth;
 - c. When the vessel initially tied to the berth and when the vessel cast-off the tie lines;
 - d. When the auxiliary engines were shut down and subsequently restarted:
 - e. Whether departure from the berth was delayed by the U.S. Coast Guard or other federal agency. Identification of the agency that caused the delay, reason for the delay, and when the federal agency released the vessel;
 - f. If an emergency event occurred, a description and duration of that emergency event; and
 - g. For vessels subject to (d)(1)(I), a discussion of any onboard equipment failure that prevents the usage of shore power equipment. This discussion should include the date when equipment initially failed, identification of equipment that failed, and dates and description of each effort to repair the equipment.
- 2. All records required pursuant to this provision shall be retained for a minimum of five years. This information shall be supplied to the Executive Officer within 30 days of a request from ARB staff.
- (2) Reporting and Recordkeeping Requirements for Persons Opting to Comply with the Equivalent Emissions Reduction Option in Subsection (d)(2)
 - (A) The Responsible Official shall provide the following reports to the Executive Officer:
 - 1. A vessel fleet plan for each California port visited by a fleet, where the fleet is not exempt pursuant to section (b)(3)(E).
 - a. The plan is due to the Executive Officer by July 1, 2009, and an updated plan is due by July 1, 2011, July 1, 2013, July 1, 2016, and July 1, 2019.

- b. The plan must address the vessels in the fleet that visit the port and would be affected by the requirements specified in subsection (d)(2). The following information shall be included in the vessel fleet plan and subsequent updates:
 - Fleet information, including: vessel category for the fleet (container, passenger, or refrigerated cargo), name of the port visited by the fleet, name of terminals visited, number of ships visiting the port annually, and total number of ship visits to the port annually.
 - ii. Information on the vessels in the fleet that will have their emissions reduced to satisfy the requirements of subsection (d)(2).
 - I. Vessel plans that are due July 1, 2009, shall include the following vessel information:
 - 1. Name and Lloyd's number of each vessel that will have its emissions reduced to satisfy the requirements of (d)(2) as of January 1, 2010, type of control technique used (electric power from the utility grid, electrical power from sources that are not part of an utility's electrical grid (distributed generation), or alternative control technologies), maximum power requirement of the vessel while at berth (if using power from the grid or distributed generation), and total number of annual visits to the port, and
 - 2. The number of vessels that are expected to have their emissions reduced, by each type of control technique, to satisfy the requirements of (d)(2) by January 1, 2012, January 1, 2014, January 1, 2017 and January 1, 2020, and the total number of annual visits expected to be made by these ships to the port.
 - II. Vessel plan updates that are due July 1, 2011, shall include the following vessel information:
 - Name and Lloyd's number of each vessel that will have its emissions reduced to satisfy the requirements of (d)(2) as of January 1, 2012, type of control technique used, maximum power requirement of the vessel while at berth (if using power from the grid or distributed

- generation), and total number of annual visits to the port; and
- The number of vessels that are expected to have their emissions reduced, by each type of control technique, to satisfy the requirements of (d)(2) by January 1, 2014, January 1, 2017 and January 1, 2020, and the total number of annual visits expected to be made by these ships to the port.
- III. Vessel plan updates that are due July 1, 2013, shall include the following vessel information:
 - Name and Lloyd's number of each vessel that will have its emissions reduced to satisfy the requirements of (d)(2) as of January 1, 2014, type of control technique used, maximum power requirement of the vessel while at berth (if using power from the grid or distributed generation), and total number of annual visits to the port; and
 - 2. The number of vessels that are expected to have their emissions reduced, by each type of control technique, to satisfy the requirements of (d)(2) by January 1, 2017, and January 1, 2020, and the total number of annual visits expected to be made by these ships to the port.
- IV. Vessel plan updates that are due July 1, 2016, shall include the following vessel information:
 - Name and Lloyd's number of each vessel that will have its emissions reduced to satisfy the requirements of (d)(2) as of January 1, 2017, type of control technique used, maximum power requirement of the vessel while at berth (if using power from the grid or distributed generation), and total number of annual visits to the port; and
 - The number of vessels that are expected to have their emissions reduced to satisfy the requirements of (d)(2) by January 1, 2020, by each type of control technique, and the total number of annual visits expected to be made by these ships to the port.
- V. Vessel plan updates that are due July 1, 2019, shall include the following information:

Name and Lloyd's number of each vessel that will have its emissions reduced to satisfy the requirements of (d)(2) by January 1, 2020, type of control technique used, maximum power requirement of the vessel while at berth (if using power from the grid or distributed generation), and total number of annual visits to the port.

- iii. Description of the control technique(s) that will be used to reduce the vessels' auxiliary engine emissions to achieve the requirements specified in subsection (d)(2), including identifying the pollutant being reduced, the expected emission reduction (percent reduced), and the basis for determining the expected emission reduction, including submittal of emission testing results or other documentation.
- 2. If the Responsible Official submits an update to the vessel fleet plan for a fleet switching from the reduced onboard power generation compliance option to the equivalent emissions reduction option pursuant to (d)(3), the updated plan shall contain the same information required in (g)(2)(A)1.
- 3. An annual statement of compliance.
 - a. The initial annual statement of compliance is due to the Executive Officer by March 1, 2011. This statement is for the 2010 calendar year. Thereafter, the annual compliance statement is due to the Executive Officer by March 1 of each year, certifying compliance with the requirements for the previous year.
 - b. The following items should be included with the statement of compliance:
 - i. A statement signed by the Responsible Official indicating that the NOx and PM emission reductions specified by (d)(2) have been achieved for each California port visited by a fleet, where the fleet is not exempt pursuant to section (b)(3)(E);
 - ii. The calculated NOx and PM baseline and post-baseline emissions for each fleet. The emissions must be calculated on a calendar year basis if complying with subsection (d)(2)(A)1 or subsection (d)(2)(A)2 and on a quarterly basis if complying with subsection (d)(2)(A)3, (d)(2)(A)4 and (d)(2)(A)5 as specified in (d)(2)(D). The following information shall be included for each vessel in the fleet:

- I. Current name;
- II. Lloyd's number;
- III. Vessel type (container, passenger, refrigerated cargo);
- IV. Total visits by terminal;
- V. Average berthing time at the port;
- VI. Average power requirement for the vessel while at berth, in MW-hr:
- VII. TEU capacity (container vessels only);
- VIII. Type of control technique used (electrical power from the utility grid, distributed generation, or alternative control technologies); and
- IX. Emissions of NOx and PM, in pounds, for the reporting period.
- iii. The fleet emission credits that will be applied to the NOx and PM emission reduction calculations for the fleet and the Certificate(s) for these credits that were issued pursuant to section (e)(2)(D); and
- iv. Description of the control technique(s) used, achievable emission reductions, and supporting documentation (e.g., reference source test results pursuant to (e)(4)(D)1 or verification documentation). For subsequent statements of compliance, the supporting documents can be referenced, including the most recent source test submitted to the Executive Officer.

(B) Recordkeeping

The following records shall be kept at a central location by the fleet vessel operator.

- For each calendar year of vessel activity, an annual summary of emissions that demonstrates compliance with the applicable emission reduction for 2010 and 2012, and a quarterly summary of emissions that demonstrates compliance with the applicable emission reduction for 2014, 2017, or 2020, which includes the following:
 - a. The fleet's baseline and post-baseline levels for NOx and PM emissions for each California port; and
 - b. Each vessel's contribution to fleet's baseline and post-baseline NOx and PM emissions, including the following information:
 - i. Name of each vessel;

- ii. Lloyd's number for each vessel;
- iii. Fuel type and average sulfur content of fuel for each vessel;
- iv. NOx and PM emissions for each vessel, in pounds;
- v. Average berthing time for each vessel;
- vi. Average power requirements for each vessel while at berth;
- vii. Total visits to each terminal at the California port made by the vessel;
- viii. Technology used to reduce emissions and associated control factor used; and
- ix. Any equipment failure aboard a vessel that prevented the vessel from using the emissions reduction technology.
- 2. Additional recordkeeping requirements for fleets using grid-based shore power to satisfy (d)(2):
 - If the vessel could not use shore power as a result of an emergency event, a description and duration of that emergency event.
- 3. Records made pursuant to paragraph (2)(B) above shall be kept for a minimum of five years. This information shall be supplied to the Executive Officer within 30 days of a request from ARB staff.
- (3) Reporting Requirements for Ports and Terminals
 - (A) Each California port shall provide wharfinger information to the Executive Officer annually, beginning with the wharfinger information for calendar year 2010.
 - 1. This information shall be provided to the Executive Officer no later than April 1 of the following year.
 - 2. At a minimum, the wharfinger information shall include for each vessel visiting the port:
 - a. Name of the vessel:
 - b. Vessel type;
 - c. Company operating the vessel;

- d. Lloyd's number for each vessel;
- e. Berth used by the vessel; and
- f. Date(s) and time the vessel was initially tied to the berth and subsequently released from the berth.
- (B) The terminal operator shall keep the following records. These records shall be supplied to the Executive Officer within 30 days of a request from ARB staff:
 - 1. Electricity usage for shore power:
 - a. Monthly utility billing statements that separately identify electricity supplied for shore power;
 - Episodes of electrical service interruption by local utility company, as confirmed and documented by local utility company; and
 - c. For distributed generation, monthly records that contain the following:
 - i. Names of vessels serviced:
 - ii. Location of vessels serviced, by berth;
 - iii. Date and time of use; and
 - iv. Power, in megawatts, supplied to the vessels.
 - Date, time, and description of equipment failure located at the terminal that affected the ability of vessels to turn off their auxiliary engines or use alternative control technologies to reduce emissions pursuant to (d)(2);
 - 3. Record of each vessel that did not operate its auxiliary engines while the vessel was docked at the berth:
 - a. Name of vessel; and
 - b. Date and time each vessel was initially tied to the terminal.
 - 4. Records made pursuant to paragraph (3)(B) above shall be kept for five years.
- (4) Electronic submittals of records and other information required under this section may be approved by the Executive Officer upon request, provided such electronic submittals use digital signatures that meet the requirements specified in Government Code section 16.5. Notwithstanding the approved

submittal of electronic records, the Executive Officer may request the submittal of a hard copy of any electronic submittal.

(h) Violations.

- (1) Except as otherwise specified in this subsection, any person who is subject to this section and commits a violation of any provision, prohibition, limit, standard, criteria, or requirement in this section is subject to the penalties, injunctive relief, and other remedies specified in Health and Safety Code section 42400 et seq., other applicable sections in the Health and Safety Code; and other applicable provisions as provided under California law for each violation. Nothing in this section shall be construed to limit or otherwise affect any applicable penalties or other remedies available under federal law.
- (2) Except as otherwise specified in this subsection, any failure to meet any provision, prohibition, limit, standard, criteria, or requirement in this section, including but not limited to the applicable emission limits for supplied shore power and hours of engine operation limits, shall constitute a single, separate violation of this section for each hour that a person operates the auxiliary diesel engine until such provision, prohibition, limit, standard, criteria, or requirement has been met.
 - (A) The number of violations if the provisions of (d)(1) are not satisfied are determined as given below:
 - 1. If the fleet fails to achieve the baseline power reduction requirement as specified in (d)(1)(A), (d)(1)(B), or (d)(1)(C), the number of violations shall be determined with the formula in (h)(2)(C)1;
 - 2. If the fleet fails to achieve the applicable percentage of visits satisfying (d)(1)(D) as specified in (d)(1)(A), (d)(1)(B), or (d)(1)(C), the number of violations shall be determined with the formula in (h)(2)(C)2;
 - 3. If the fleet fails to achieve both the baseline power reduction and the applicable percentage of visits satisfying (d)(1)(D) as specified in (d)(1)(A), (d)(1)(B), or (d)(1)(C), the number of violations shall be determined with the formula in (h)(2)(C)3; and
 - 4. If a vessel subject to (d)(1)(I) does not use shore power for every visit to terminals that have available shore power, the number of violations shall be determined with the formula in (h)(2)(C)2.
 - (B) If the emission reductions, pursuant to (d)(2), do not achieve the applicable percentage of reduction, the number of violations shall be determined with the formula in (h)(2)(C)4.

- (C) Formulas for Determining Number of Violations:
 - Number of reduced onboard power violations = MW-Hr shortfall / 1.8
 - 2. Number of visits violations = visits * MW-Hr per visit / 1.8

"Visits" refers to the shortfall in the number of visits in the applicable quarter that should have satisfied the requirements of (d)(1)(A), (d)(1)(B), or (d)(1)(C).

"MW-Hr per visit" shall be based on the average MW-Hr for a visit for the applicable quarter (∑total MW-Hr in quarter / total visits in quarter).

- 3. Number of both reduced onboard power and visits violations = MW-Hr shortfall for the applicable quarter / 1.2
- 4. Number of emission reduction violations = [NOx + PM shortfall (pounds)] / 57
- (3) A violation of the recordkeeping and reporting requirements in this section shall constitute a single, separate violation of this section for each day that the applicable recordkeeping or reporting requirement has not been met.
- (i) Severability.

If any subsection, paragraph, subparagraph, sentence, clause, phrase, or portion of this regulation is, for any reason, held invalid, unconstitutional, or unenforceable by any court of competent jurisdiction, such portion shall be deemed as a separate, distinct, and independent provision, and such holding shall not affect the validity of the remaining portions of the regulation.

NOTE: Authority cited: Sections 39600, 39601, 39650, 39658, 39659, 39666 and 41511, Health and Safety Code. Reference: Sections 39650, 39658, 39659, 39666, 41510, and 41511, Health and Safety Code.