No.1338 2025年12月5日

JAPAN P&I NEWS

外航組合員各位

中国-渤海湾(Bohai Bay)中部水域における船舶航路指定制度(Vessel Routing System)の導入 (2026年1月1日施行)

中国のコレスポンデンツ Oasis P&I Services Company Limited から、中国海事局(China MSA)が新たに制定した「渤海湾中部水域における船舶航路指定制度(Vessel Routing System for the Central Waters of Bohai Bay)」に関する情報を入手しましたので、添付のとおりご案内します。

要点は、以下のとおりです。

1. 施行日と背景

本制度は2026年1月1日から施行され、有効期間は5年間です。渤海湾中部水域は、天津、黄驊、曹妃甸などの主要港へ向かう船舶の重要な玄関口であり、船舶交通密度の高まりと錯綜する交通流に対応するために導入されました。

2. 船舶航路指定制度の概要

本航路は、以下の4つの要素から構成されています。

- 第1通航分離帯 (First Traffic Separation Scheme)
- 第1警戒水域 (First Precautionary Area)
- 第 2 通航分離帯(Second Traffic Separation Scheme)
- 第2警戒水域(Second Precautionary Area)

3. 航行上の注意点

- 本航路を利用する船舶は、進入・退出時の報告義務はありませんが、以下の場合は Tianjin VTS への報告が必須です。
 - a) 緊急事態発生時
 - b) 追い越しを行う場合は、事前に Tianjin VTS へ報告(および被追い越し船の同意取得) が 必要です。
 - c) 切迫した危険を回避するためにやむを得ず通航路を横切る場合は、Tianjin VTS へ報告する必要があります。
- VHF チャンネル 09 および 16 を常時聴取する必要があります。
- 警戒水域、通航路、およびその境界付近の水域での錨泊は禁止されています。
- 特に第2警戒水域は、天津海事局が公表している「衝突高リスク海域 (No.5)」内に位置しているため、航行には特別な注意が必要です。

詳細については、添付の Oasis P&I Services Company Limited 発行のサーキュラーをご参照ください。

以上

添付資料: Oasis Circular No.2509



24 hour duty phone: +86 150 1080 6478

email: oasis@oasispandi.com

www.oasispandi.com

Shanghai Dalian Tianjin Beijing Qingdao Guangzhou Xiamen Ningbo Hongkong

Date: 1 Dec 2025

Oasis Circular No.: 2509

Subject: Vessel Routing System for Central Bohai Bay Waters to Enter into Force on 1 January 2026

The central waters of Bohai Bay serve as a critical gateway for vessels accessing the major ports of Tianjin, Huanghua, and Caofeidian, characterized by complex and intersecting traffic flows. In response to the escalating vessel traffic density, the China MSA promulgated the "Vessel Routing System for the Central Waters of Bohai Bay" on November 25, 2025. The new system is scheduled to take effect on January 1, 2026, for a period of five years.

Scope of the Routing System

The routing system consists of the First Traffic Separation Scheme, the First Precautionary Area, the Second Traffic Separation Scheme, and the Second Precautionary Area.



I. First Traffic Separation Scheme

The First Traffic Separation Scheme consists of a separation zone and traffic lanes.

Separation Zone: A zone bounded by a line connecting the following geographical positions, 5.3 nautical miles in length and 0.5 nautical miles in width, centred on the following line:

```
A: 38° 39'02.102"N / 118° 38'19.806"E
B: 38° 41'16.693"N / 118° 32'11.751"E
```

Traffic Lanes:

(1) The northern boundary of the traffic lanes is a line connecting the following geographical positions:

```
C: 38° 40'10.498"N / 118° 39'00.476"E
D: 38° 42'25.074"N / 118° 32'52.494"E
```

(2) The southern boundary of the traffic lanes is a line connecting the following geographical positions:

```
E: 38° 37'53.688"N / 118° 37'39.136"E
F: 38° 40'08.356"N / 118° 31'31.099"E
```

- (3) Westbound Traffic Lane: The area between the separation zone and the northern boundary of the traffic separation scheme. It is 5.3 nautical miles long and 1 nautical mile wide. The recommended direction of traffic flow is 295° (true bearing).
- (4) Eastbound Traffic Lane: The area between the separation zone and the southern boundary of the traffic separation scheme. It is 5.3 nautical miles long and 1 nautical mile wide. The recommended direction of traffic flow is 115° (true bearing).

II. First Precautionary Area

The First Precautionary Area is the waters bounded by the arc of a circle with a radius of 1.925 nautical miles, centered on point O (38° $38'25.091"N / <math>118^{\circ}$ 40'00.974"E), and the lines sequentially connecting the following points:

```
C: 38° 40'10.498"N / 118° 39'00.476"E
A: 38° 39'02.102"N / 118° 38'19.806"E
E: 38° 37'53.688"N / 118° 37'39.136"E
```

III. Second Traffic Separation Scheme

The Second Traffic Separation Scheme consists of a separation zone and traffic lanes.

Separation Zone: A zone bounded by a line connecting the following geographical positions, 4.85 nautical miles in length and 0.5 nautical miles in width, centred on the following line:

```
G: 38° 43'35.810"N / 118° 25'50.500"E
H: 38° 45'38.812"N / 118° 20'13.562"E
```

Traffic Lanes

(1) The northern boundary of the traffic lanes is a line connecting the following geographical positions:

```
I: 38° 44'44.197"N / 118° 26'31.185"E
J: 38° 46'47.201"N / 118° 20'54.232"E
```

(2) The southern boundary of the traffic lanes is a line connecting the following geographical positions:

```
K: 38° 42'27.533"N / 118° 25'09.845"E
L: 38° 44'30.603"N / 118° 19'32.892"E
```

- (3) Westbound Traffic Lane: The area between the separation zone and the northern boundary of the traffic separation scheme. It is 4.85 nautical miles long and 1 nautical mile wide. The recommended direction of traffic flow is 295° (true bearing).
- (5) Eastbound Traffic Lane: The area between the separation zone and the southern boundary of the traffic separation scheme. It is 4.85 nautical miles long and 1 nautical mile wide. The recommended direction of traffic flow is 115° (true bearing).

IV. Second Precautionary Area

The Second Precautionary Area is the waters bounded by the lines sequentially connecting the following geographical positions:

```
I: 38° 44'44.197"N / 118° 26'31.185"E
D: 38° 42'25.074"N / 118° 32'52.494"E
F: 38° 40'08.356"N / 118° 31'31.099"E
K: 38° 42'27.533"N / 118° 25'09.845"E
```

The Second Precautionary Area is rectangular in shape, 5.48 nautical miles long and 2.5 nautical miles wide.

Advisory for Vessels in Routing Waters

- 1. Vessels using this routing system are not mandatory to report when entering or departing the area. However, all emergency situations must be reported to Tianjin VTS.
- 2. Fully comply with relevant provisions of COLREGS 1972, ensure there is proper and sufficient lookout, keep a safe speed and take early avoidance actions.
- 3. Vessels shall maintain a continuous listening watch on VHF Channels 09 and 16.
- 4. Vessels shall avoid crossing traffic lanes as far as possible. If crossing is unavoidable to avert an immediate danger, they must first report to Tianjin VTS and announce their intentions to surrounding vessels. Crossing is permitted only after confirming that no vessels proceeding along the traffic lane are in close proximity.
- 5. When joining or leaving a traffic lane from the side, vessels shall do so at as small an angle as practicable to the general direction of traffic flow.
- 6. If overtaking is necessary, the overtaking vessel must obtain consent from the vessel to be overtaken and report to Tianjin VTS in advance. The maneuver shall not create a close-quarters situation with other vessels.
- 7. Anchoring is prohibited within precautionary areas, traffic lanes, and the waters adjacent to their boundaries.
- 8. Vessels must navigate with particular caution and apply good seamanship when operating within, entering, or departing a precautionary area.
- 9. The Second Precautionary Area is located within the No. 5 high collision risk area published by Tianjin MSA (see attached). Vessels must pay special attention when passing through this area.

We hope the above will be of assistance. If there is any query, please feel free to contact us at oasis@oasispandi.com at any time.

Best regards,

Oasis P&I Services Company Limited

Attachment:

- 1. List of the 8 high collision risk areas in Tianjin Waters published by Tianjin MSA on 07 November 2025
- 2. Illustration of the 8 high collision risk areas in Tianjin Waters

Attachment: 1

List of the 8 high collision risk areas in Tianjin Waters

No.	Location	Name	Scope	Area (km²)	Risk Description
1	Northwestern Bohai Bay (Waters East of Tianjin Port No. 2 Anchorage)	High Collision Risk Area in Waters East of No. 2 Anchorage	An area connected by the five coordinates below: A: 38°57'53.59"N / 118°07'03.96"E B: 38°56'56.34"N / 118°12'51.36"E C: 38°53'42.36"N / 118°12'03.60"E D: 38°53'18.68"N / 118°11'46.00"E E: 38°56'01.77"N / 118°06'34.99"E	45.00	High traffic density of merchant and fishing vessels. Merchant vessels entering/leaving Tianjin Port No. 2 Anchorage are prone to crossing situations with fishing vessels navigating/operating in this area.
2	Northwestern Bohai Bay (Southeastern Waters of Tianjin Port South Anchorage)	High Collision Risk Area in Southeastern Waters of South Anchorage	An area connected by the four coordinates below: A: 38°54'29.57"N / 118°06'10.28"E B: 38°52'03.71"N / 118°10'33.53"E C: 38°48'05.90"N / 118°06'43.03"E D: 38°49'15.51"N / 118°04'38.90"E	52.63	High traffic density of merchant and fishing vessels. Merchant vessels entering/leaving Tianjin Port South Anchorage are prone to crossing situations with fishing vessels navigating/operating in this area.
3	Northwestern Bohai Bay (Southern Waters of Tianjin Port South Anchorage)	High Collision Risk Area in Southern Waters of South Anchorage	An area connected by the four coordinates below: A: 38°53'59.37"N / 117°56'55.71"E B: 38°52'33.75"N / 118°05'27.88"E C: 38°50'09.11"N / 118°03'03.00"E D: 38°53'37.76"N / 117°56'51.72"E	35.44	High traffic density of merchant and fishing vessels. Merchant vessels entering/leaving Tianjin Port South Anchorage, Chemical Anchorage, or crossing the Dagu Fairway are prone to crossing situations with fishing vessels navigating/operating in this area.

4	Central-Western Bohai Bay (Dagukou Port Area, Tianjin Port)	High Collision Risk Area near the Eastern End of the Dagu Sha Fairway	An area within a circle of a radius of 1 nautical miles with its center at: 38°49'05.83"N / 118°03'38.66"E	10.80	 High traffic density of merchant and fishing vessels. Fishing vessels entering/leaving Donggu Fishing Port and vessels entering/leaving the Dagukou Port Area are prone to crossing situations.
5	Central Bohai Bay (Within the Second Precautionary Area of the Central Bohai Bay Vessel Routing System)	Second Precautionary Area of	An area connected by the four coordinates below: A: 38°46'24.41"N / 118°27'31.87"E B: 38°45'33.62"N / 118°34'42.85"E C: 38°40'08.36"N / 118°31'31.10"E D: 38°42'27.53"N / 118°25'09.85"E	97.00	1. The area constitutes the extension of the Changshan Waterway-Tianjin common route towards Tianjin Port, serving as the customary route for vessels using the Central Bohai Bay Vessel Routing System to enter/leave Tianjin Port, Caofeidian Port, and Huanghua Port. It experiences frequent merchant vessel traffic with intersecting routes. 2. Large bulk carriers entering/leaving Huanghua Port typically transit through this Second Precautionary Area to access/depart the Huanghua Port fairway. 3. The area is a customary fishing ground, densely populated with fishing vessels and fishnet marker buoys, resulting in a complex navigational environment. 4. The area has experienced multiple merchant-fishing vessel collisions, including one accident in 2018.

6	Central-Western Bohai Sea (Waters where routes from Changshan Waterway to Western Bohai converge)	High Collision Risk Area in the Waters where Routes from Changshan Waterway to Western Bohai Converge	An area connected by the four coordinates below: A: 38°35'22.00"N / 118°55'22.00"E B: 38°32'20.00"N / 119°06'42.00"E C: 38°30'30.00"N / 119°06'42.00"E D: 38°30'30.00"N / 118°56'32.00"E	95.49	 High traffic density of merchant and fishing vessels; this area is habitually used by fishing vessels for operations and transiting. Customary merchant vessel routes overlap with fishing grounds.
7	Central-Western Bohai Sea (Waters where routes from Laotieshan Waterway, Changshan Waterway, and Liaodong Bay to Western Bohai converge)	Waters where Routes from	An area connected by the three coordinates below: A: 38°53'13.74"N / 119°22'41.34"E B: 38°40'28.03"N / 119°38'28.00"E C: 38°44'28.20"N / 118°55'27.32"E	649.57	1. The area features intensively intersecting customary public merchant vessel routes and is located at the convergence of multiple such routes: Laotieshan Waterway–Tianjin/Caofeidian, Changshan Waterway–Jingtang, Qinhuangdao–Tianjin, and Northern Bohai–Tianjin. 2. The area is a customary fishing ground, densely populated with fishing vessels and fishnet marker buoys, resulting in a complex navigational environment. 3. The area experiences frequent merchant-fishing vessel collisions, with 6

8	Central-Eastern Bohai Sea (Waters where routes from Laotieshan Waterway to Western Bohai converge)	High Collision Risk Area in the Waters where Routes from Laotieshan Waterway to Western Bohai Converge	An area connected by the four coordinates below: A: 38°43'06.87"N / 120°06'51.16"E B: 38°36'29.57"N / 120°08'20.15"E C: 38°36'19.39"N / 120°18'20.21"E D: 38°42'11.68"N / 120°16'49.37"E	165.22	1. The area serves as the customary navigation waters for large vessels transiting via Laotieshan Waterway to enter/leave various ports in the western Bohai Sea, located approximately 21 nautical miles west of the Laotieshan Waterway Western Precautionary Area. 2. The area is a customary fishing ground, densely populated with fishing vessels and fishnet marker buoys, resulting in a complex navigational environment. 3. The area has experienced multiple merchant-fishing vessel collisions, with 2 such accidents occurring between 2022 and 2025.
---	--	---	---	--------	--

Illustration of the 8 high collision risk areas in Tianjin Waters

